#### Patent claims

1. Synergistic fungicidal active compound combinations comprising a carboxamide of the general formula (I) (group 1)

$$A = \begin{bmatrix} P_1 & P_2 & P_3 & P_4 & P_4$$

5

10

25

in which

R<sup>1</sup> represents hydrogen or fluorine,

R<sup>2</sup> represents halogen, C<sub>1</sub>-C<sub>3</sub>-alkyl, C<sub>1</sub>-C<sub>3</sub>-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms, C<sub>1</sub>-C<sub>3</sub>-alkoxy, C<sub>1</sub>-C<sub>3</sub>-haloalkoxy having 1 to 7 fluorine, chlorine and/or bromine atoms or represents -C(R<sup>4</sup>)=N-OR<sup>5</sup>,

R<sup>3</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>3</sub>-alkyl or C<sub>1</sub>-C<sub>3</sub>-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

R<sup>4</sup> represents hydrogen or methyl,

R<sup>5</sup> represents C<sub>1</sub>-C<sub>5</sub>-alkyl, C<sub>1</sub>-C<sub>5</sub>-alkenyl or C<sub>1</sub>-C<sub>5</sub>-alkynyl,

15 A represents one of the radicals A1 to A7 below:

 $R^6$  represents  $C_1$ - $C_3$ -alkyl,

R<sup>7</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>3</sub>-alkyl or C<sub>1</sub>-C<sub>3</sub>-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

20 R<sup>8</sup> represents hydrogen, halogen or C<sub>1</sub>-C<sub>3</sub>-alkyl,

R<sup>9</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>3</sub>-alkyl, amino, mono- or di(C<sub>1</sub>-C<sub>3</sub>-alkyl)amino,

R<sup>10</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>3</sub>-alkyl or C<sub>1</sub>-C<sub>3</sub>-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

R<sup>11</sup> represents halogen, C<sub>1</sub>-C<sub>3</sub>-alkyl or C<sub>1</sub>-C<sub>3</sub>-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

R<sup>12</sup> represents halogen, C<sub>1</sub>-C<sub>3</sub>-alkyl or C<sub>1</sub>-C<sub>3</sub>-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

R<sup>13</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>3</sub>-alkyl or C<sub>1</sub>-C<sub>3</sub>-haloalkyl having 1 to 7 fluorine, chlorine and/or bromine atoms,

and at least one active compound selected from groups (2) to (23) below:

## Group (2) Strobilurins of the general formula (II)

5 in which

A<sup>1</sup> represents one of the groups

A<sup>2</sup> represents NH or O,

A<sup>3</sup> represents N or CH,

L represents one of the groups

where the bond marked with an asterisk (\*) is attached to the phenyl ring,

R<sup>14</sup> represents phenyl, phenoxy or pyridinyl, each of which is optionally mono- or disubstituted by identical or different substituents from the group consisting of chlorine, cyano, methyl and trifluoroomethyl, or represents 1-(4-chlorophenyl)-pyrazol-3-yl or represents 1,2-propanedione-bis(O-methyloxime)-1-yl,

R<sup>15</sup> represents hydrogen or fluorine;

# Group (3) Triazoles of the general formula (III)

in which

Q represents hydrogen or SH,

m represents 0 or 1,

R<sup>16</sup> represents hydrogen, fluorine, chlorine, phenyl or 4-chlorophenoxy,

10

15

20

5

10

15

20

·R<sup>17</sup> represents hydrogen or chlorine,

A<sup>4</sup> represents a direct bond, -CH<sub>2</sub>-, -(CH<sub>2</sub>)<sub>2</sub>- or -O-,

A<sup>4</sup> furthermore represents \*-CH<sub>2</sub>-CHR<sup>20</sup>- or \*-CH=CR<sup>20</sup>- where the bond marked with \* is attached to the phenyl ring, and

R<sup>18</sup> and R<sup>20</sup> furthermore together represent -CH<sub>2</sub>-CH<sub>2</sub>-CH[CH(CH<sub>3</sub>)<sub>2</sub>]- or -CH<sub>2</sub>-CH<sub>2</sub>-C(CH<sub>3</sub>)<sub>2</sub>-,

A<sup>5</sup> represents C or Si (silicon),

A<sup>4</sup> further represents -N(R<sup>20</sup>)- and A<sup>5</sup> furthermore together with R<sup>18</sup> and R<sup>19</sup> represents the group C=N-R<sup>21</sup>, in which case R<sup>20</sup> and R<sup>21</sup> together represent the group

R<sup>18</sup> represents hydrogen, hydroxyl or cyano,

 $R^{19} \qquad \text{represents 1-cyclopropylethyl, 1-chlorocyclopropyl, $C_1$-$C_4$-alkyl, $C_1$-$C_6$-hydroxyalkyl,} \\ C_1$-$C_4$-alkylcarbonyl, $C_1$-$C_2$-haloalkoxy$-$C_1$-$C_2$-alkyl, trimethylsilyl$-$C_1$-$C_2$-alkyl, monofluorophenyl or phenyl,}$ 

R<sup>18</sup> and R<sup>19</sup> furthermore together represent -O-CH<sub>2</sub>-CH(R<sup>21</sup>)-O-, -O-CH<sub>2</sub>-CH(R<sup>21</sup>)-CH<sub>2</sub>-, or -O-CH(2-chlorophenyl)-,

R<sup>21</sup> represents hydrogen, C<sub>1</sub>-C<sub>4</sub>-alkyl or bromine;

## Group (4) Sulphenamides of the general formula (IV)

$$\begin{array}{c} \text{FCl}_2\text{C},\\ \\ \text{R}^{22} \\ \\ \text{H}_3\text{C} - \text{N} \\ \\ \text{CH}_3 \end{array} \qquad \text{(IV)}$$

in which R<sup>22</sup> represents hydrogen or methyl;

#### Group (5) Valinamides selected from

- (5-1) iprovalicarb
- 25 (5-2)  $N^{1}$ -[2-(4-{[3-(4-chlorophenyl)-2-propynyl]oxy}-3-methoxyphenyl)ethyl]- $N^{2}$ -(methylsulphonyl)-D-valinamide
  - (5-3) benthiavalicarb

#### Group (6) Carboxamides of the general formula (V)

in which

5

10

15

20

25

x represents 2-chloro-3-pyridinyl, represents 1-methylpyrazol-4-yl which is substituted in the 3-position by methyl or trifluoroomethyl and in the 5-position by hydrogen or chlorine, represents 4-ethyl-2-ethylamino-1,3-thiazol-5-yl, represents 1-methyl-cyclohexyl, represents 2,2-dichloro-1-ethyl-3-methylcyclopropyl, represents 2-fluoro-2-propyl or represents phenyl which is mono- to trisubstituted by identical or different substituents from the group consisting of chlorine and methyl,

X furthermore represents 3,4-dichloroisothiazol-5-yl, 5,6-dihydro-2-methyl-1,4-oxathi-in-3-yl, 4-methyl-1,2,3-thiadiazol-5-yl, 4,5-dimethyl-2-trimethylsilylthiophen-3-yl, 1-methylpyrrol-3-yl which is substituted in the 4-position by methyl or trifluoromethyl and in the 5-position by hydrogen or chlorine,

Y represents a direct bond, C<sub>1</sub>-C<sub>6</sub>-alkanediyl (alkylene) which is optionally substituted by chlorine, cyano or oxo or represents thiophenediyl,

Y furthermore represents C<sub>2</sub>-C<sub>6</sub>-alkenediyl (alkenylene),

Z represents hydrogen or the group

$$R^{23}$$
  $R^{24}$ 

Z furthermore represents C<sub>1</sub>-C<sub>6</sub>-alkyl,

A<sup>6</sup> represents CH or N,

R<sup>23</sup> represents hydrogen, chlorine, phenyl which is optionally mono- or disubstituted by identical or different substituents from the group consisting of chlorine and di(C<sub>1</sub>-C<sub>3</sub>-alkyl)aminocarbonyl,

 $R^{23}$  furthermore represents cyano or  $C_1$ - $C_6$ -alkyl,

R<sup>24</sup> represents hydrogen or chlorine,

R<sup>25</sup> represents hydrogen, chlorine, hydroxyl, methyl or trifluoroomethyl,

R<sup>25</sup> furthermore represents di(C<sub>1</sub>-C<sub>3</sub>-alkyl)aminocarbonyl,

R<sup>23</sup> and R<sup>24</sup> furthermore together represent \*-CH(CH<sub>3</sub>)-CH<sub>2</sub>-C(CH<sub>3</sub>)<sub>2</sub>- or \*-CH(CH<sub>3</sub>)-O-C(CH<sub>3</sub>)<sub>2</sub>- where the bond marked with \* is attached to R<sup>23</sup>;

## 30 Group (7) Dithiocarbamates selected from

(7-1) mancozeb

(7-2) maneb

- (7-3) metiram
- (7-4) propineb
- (7-5) thiram
- (7-6) zineb
- (7-7) ziram

5

10

15.

20

### Group (8) Acylalanines of the general formula (VI)

$$\begin{array}{c|c} H_3C & CO_2CH_3 \\ \hline CH_3 & * \\ \hline CH_3 & R^{26} \end{array}$$
 (VI)

in which

\* marks a carbon atom in the R or the S configuration, preferably in the S configuration,

R<sup>26</sup> represents benzyl, furyl or methoxymethyl;

# Group (9): Anilinopyrimidines of the general formula (VII)

in which

R<sup>27</sup> represents methyl, cyclopropyl or 1-propynyl;

# Group (10): Benzimidazoles of the general formula (VIII)

$$R^{29} \longrightarrow N \qquad (VIII)$$

in which

R<sup>28</sup> and R<sup>29</sup> each represent hydrogen or together represent -O-CF<sub>2</sub>-O-,

R<sup>30</sup> represents hydrogen, C<sub>1</sub>-C<sub>4</sub>-alkylaminocarbonyl or represents 3,5-dimethylisoxazol-4-ylsulphonyl,

25 R<sup>31</sup> represents chlorine, methoxycarbonylamino, chlorophenyl, furyl or thiazolyl;

Group (11): Carbamates of the general formula (IX)

$$R^{32} \bigcirc \bigvee_{\mathbf{N}} R^{33}$$
 (IX)

in which

R<sup>32</sup> represents n- or isopropyl,

R<sup>33</sup> represents di(C<sub>1</sub>-C<sub>2</sub>-alkyl)amino-C<sub>2</sub>-C<sub>4</sub>-alkyl or diethoxyphenyl,

5 salts of these compounds also being included;

#### Group (12): Dicarboximides selected from

- (12-1) captafol
- (12-2) captan
- 10 (12-3) folpet
  - (12-4) iprodione
  - (12-5) procymidone
  - (12-6) vinclozolin

## 15 Group (13): Guanidines selected from

- (13-1) dodine
- (13-2) guazatine
- (13-3) iminoctadine triacetate
- (13-4) iminoctadine tris(albesilate)

Group (14): Imidazoles selected from

- (14-1) cyazofamid
- (14-2) prochloraz
- (14-3) triazoxide
- 25 (14-4) pefurazoate

20

## Group (15): Morpholines of the general formula (X)

$$R^{35}$$
 $N-R^{36}$ 
 $(X)$ 

in which

R<sup>34</sup> and R<sup>35</sup> independently of one another represent hydrogen or methyl,

 $R^{36} \qquad \text{represents} \quad C_1\text{-}C_{14}\text{-alkyl} \quad \text{(preferably} \quad C_{12}\text{-}C_{14}\text{-alkyl)}, \quad C_5\text{-}C_{12}\text{-cycloalkyl} \quad \text{(preferably} \quad C_{12}\text{-cycloalkyl})$ 

 $C_{10}$ - $C_{12}$ -cycloalkyl), phenyl- $C_1$ - $C_4$ -alkyl, which may be substituted in the phenyl moiety by halogen or  $C_1$ - $C_4$ -alkyl or represents acrylyl which is substituted by chlorophenyl and dimethoxyphenyl;

# 5 Group (16): Pyrroles of the general formula (XI)

$$\begin{array}{c} R^{38} \\ R^{39} \\ R^{37} \end{array} \qquad (XI)$$

in which

R<sup>37</sup> represents chlorine or cyano,

R<sup>38</sup> represents chlorine or nitro,

10 R<sup>39</sup> represents chlorine,

R<sup>38</sup> and R<sup>39</sup> furthermore together represent -O-CF<sub>2</sub>-O-;

### Group (17): Phosphonates selected from

(17-1) fosetyl-Al

15 (17-2) phosphonic acid

#### Group (18): Phenylethanamides of the general formula (XII)

in which

20 R<sup>40</sup> represents unsubstituted or fluorine-, chlorine-, bromine-, methyl- or ethyl-substituted phenyl, 2-naphthyl, 1,2,3,4-tetrahydronaphthyl or indanyl;

### Group (19): Fungicides selected from

(19-1) acibenzolar-S-methyl

(19-2) chlorothalonil

25

(19-3) cymoxanil

(19-4) edifenphos

(19-5) famoxadone

(19-6) fluazinam

30 (19-7) copper oxychloride

(19-8) copper hydroxide

(19-9) oxadixyl

(19-10) spiroxamine

(19-11) dithianon

(19-12) metrafenone

5

15

20

30

(19-13) fenamidone

(19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one

(19-15) probenazole

(19-16) isoprothiolane

10 (19-17) kasugamycin

(19-18) phthalide

(19-19) ferimzone

(19-20) tricyclazole

(19-21) N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide

(19-22) 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-yn-1-yloxy)acetamide

## Group (20): (Thio)urea derivatives selected from

(20-1) pencycuron

(20-2) thiophanate-methyl

(20-3) thiophanate-ethyl

### Group (21): Amides of the general formula (XIII)

in which

A<sup>7</sup> represents a direct bond or -O-,

A<sup>8</sup> represents -C(=O)NH- or -NHC(=O)-,

R<sup>41</sup> represents hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl,

R<sup>42</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl;

Group (22): Triazolopyrimidines of the general formula (XIV)

in which

5

R<sup>43</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl or C<sub>2</sub>-C<sub>6</sub>-alkenyl,

R<sup>44</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl,

R<sup>43</sup> and R<sup>44</sup> furthermore together represent C<sub>4</sub>-C<sub>5</sub>-alkanediyl (alkylene) which is mono- or disubstituted by C<sub>1</sub>-C<sub>6</sub>-alkyl,

R<sup>45</sup> represents bromine or chlorine,

R<sup>46</sup> and R<sup>50</sup> independently of one another represent hydrogen, fluorine, chlorine or methyl,

 $R^{47}$  and  $R^{49}$  independently of one another represent hydrogen or fluorine,

10 R<sup>48</sup> represents hydrogen, fluorine or methyl,

## Group (23): Iodochromones of the general formula (XV)

$$(XV)$$

in which

15  $R^{51}$  represents  $C_1$ - $C_6$ -alkyl,

R<sup>52</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl or C<sub>2</sub>-C<sub>6</sub>-alkynyl.

- 2. Active compound combinations according to Claim 1 comprising a carboxamide of the general formula (I) according to Claim 1 (group 1) in which
- 20 R<sup>1</sup> represents hydrogen or fluorine,
  - $R^2$  represents fluorine, chlorine, bromine, iodine, methyl, trifluoromethyl, trifluoromethoxy or represents - $C(R^4)$ =N-OR<sup>5</sup>,
  - R<sup>3</sup> represents hydrogen, fluorine, chlorine, bromine, methyl or trifluoromethyl,
  - R<sup>4</sup> represents hydrogen or methyl,
- 25 R<sup>5</sup> represents C<sub>1</sub>-C<sub>5</sub>-alkyl,
  - A represents one of the radicals A1 to A7 below:

$$R^{7}$$
 $R^{10}$ 
 $R^$ 

			R <sup>6</sup>	represents methyl,
			R <sup>7</sup>	represents iodine, methyl, difluoromethyl or trifluoromethyl,
			R <sup>8</sup>	represents hydrogen, fluorine, chlorine or methyl,
			R <sup>9</sup>	represents hydrogen, chlorine, methyl, amino or dimethylamino,
5			R <sup>10</sup>	represents methyl, difluoromethyl or trifluoromethyl,
			$\mathbb{R}^{11}$	represents chlorine, bromine, iodine, methyl, difluoromethyl or trifluoromethyl,
			$R^{12}$	represents bromine or methyl,
			R <sup>13</sup>	represents methyl or trifluoromethyl.
10	:	3.	Active	compound combinations according to Claim 1, where the active compounds of groups
			(2) to	(23) are selected from the list below:
			(2-1)	azoxystrobin
			(2-2)	fluoxastrobin
			(2-3)	(2E)-2-(2-{[6-(3-chloro-2-methylphenoxy)-5-fluoro-4-pyrimidinyl]oxy}phenyl)-
15				2-(methoxyimino)-N-methylethanamide
			(2-4)	trifloxystrobin
			(2-5)	$(2E)$ -2-(methoxyimino)- $N$ -methyl-2-(2-{[({(1E)-1-[3-(trifluoromethyl)-
				phenyl]ethyliden}amino)oxy]methyl}phenyl)ethanamide
			(2-6)	$(2E)$ -2-(methoxyimino)- $N$ -methyl-2- $\{2-[(E)-(\{1-[3-(trifluoromethyl)phenyl]-$
20				ethoxy}imino)methyl]phenyl}ethanamide
			(2-7)	orysastrobin
			(2-8)	5-methoxy-2-methyl-4-(2-{[({(1E)-1-[3-(trifluoromethyl)phenyl]ethyliden}amino)-
				oxy]methyl}phenyl)-2,4-dihydro-3 <i>H</i> -1,2,4-triazol-3-one
			(2-9)	kresoxim-methyl
25			(2-10)	dimoxystrobin
			(2-11)	picoxystrobin
			(2-12)	pyraclostrobin
			(2-13)	metominostrobin
			(3-1)	azaconazole
30			(3-2)	etaconazole
			(3-3)	propiconazole
			(3-4)	difenoconazole
			(3-5)	bromuconazole
			(3-6)	cyproconazole
35			(3-7)	hexaconazole
			(3-8)	penconazole

		•
	(3-9)	myclobutanil
	(3-10)	tetraconazole
	(3-11)	flutriafol
	(3-12)	epoxiconazole
5	(3-13)	flusilazole
•	(3-14)	simeconazole
	(3-15)	prothioconazole
	(3-16)	fenbuconazole
	(3-17)	tebuconazole
10	(3-18)	ipconazole
	(3-19)	metconazole
	(3-20)	triticonazole
	(3-21)	bitertanol
	(3-22)	triadimenol
15	(3-23)	triadimefon
	(3-24)	fluquinconazole
	(3-25)	quinconazole
	(4-1)	dichlofluanid
	(4-2)	tolylfluanid
20	(5-1)	iprovalicarb
	(5-3)	benthiavalicarb
	(6-1)	2-chloro-N-(1,1,3-trimethylindan-4-yl)nicotinamide
	(6-2)	boscalid
	(6-3)	furametpyr
25	(6-4)	$N\hbox{-}(3-p\hbox{-}tolyl thiophen-2-yl)\hbox{-}1-methyl-3-trifluoromethyl-1H-pyrazole-4-carbox a midely and the state of the property $
	(6-5)	ethaboxam
	(6-6)	fenhexamid
	(6-7)	carpropamid
	(6-8)	2-chloro-4-(2-fluoro-2-methylpropionylamino)-N,N-dimethylbenzamide
30	(6-9)	picobenzamid
	(6-10)	zoxamide
	(6-11)	3,4-dichloro-N-(2-cyanophenyl)isothiazole-5-carboxamide
	(6-12)	carboxin .
	(6-13)	tiadinil
35	(6-14)	penthiopyrad
	(6-15)	silthiofam
		•

	(6-16)	N-[2-(1,3-dimethylbutyl)phenyl]-1-methyl-4-(trifluoromethyl)-1H-pyrrole-3-
		carboxamide
	(7-1)	mancozeb
	(7-2)	maneb
5	(7-3)	metiram
	(7-4)	propineb
	(7-5)	thiram
	(7-6)	zineb
	(7-7)	ziram
10	(8-1)	benalaxyl
	(8-2)	furalaxyl
	(8-3)	metalaxyl
	(8-4)	metalaxyl-M
	(8-5)	benalaxyl-M
15	(9-1)	cyprodinil
	(9-2)	mepanipyrim
	(9-3)	pyrimethanil
	(10-1)	6-chloro-5-[(3,5-dimethylisoxazol-4-yl)sulphonyl]-2,2-difluoro-5H-
		[1,3]dioxolo[4,5-f]benzimidazole
20	(10-2)	benomyl
	(10-3)	carbendazim
	(10-4)	chlorfenazole
	(10-5)	fuberidazole
	(10-6)	thiabendazole
25	(11-1)	diethofencarb
	(11-2)	propamocarb
	(11-3)	propamocarb-hydrochloride
	(11-4)	propamocarb-fosetyl
	(12-1)	captafol
30	(12-2)	captan
	(12-3)	folpet
	(12-4)	iprodione
	(12-5)	procymidone
	(12-6)	vinclozolin
35	(13-1)	dodine
	(13-2)	guazatine

( )

	(13-3)	iminoctadine triacetate
	(14-1)	cyazofamid
	(14-2)	prochloraz
	(14-3)	triazoxide
5	(14-4)	pefurazoate
	(15-1)	aldimorph
	(15-2)	tridemorph
	(15-3)	dodemorph
	(15-4)	fenpropimorph
10	(15-5)	dimethomorph
	(16-1)	fenpiclonil
	(16-2)	fludioxonil
	(16-3)	pyrrolnitrin
	(17-1)	fosetyl-Al
15	(17-2)	phosphonic acid
	(18-1)	$\hbox{2-(2,3-dihydro-1H-inden-5-yl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-}\\$
		acetamide
	(18-2)	N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-2-(5,6,7,8-tetrahydro-
		naphthalen-2-yl)acetamide
20	(18-3)	2-(4-chlorophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide
	(18-4)	2-(4-bromophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide
	(18-5)	2-(4-methylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide
	(18-6)	2-(4-ethylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide
	(19-1)	acibenzolar-S-methyl
25	(19-2)	chlorothalonil
	(19-3)	cymoxanil
	(19-4)	edifenphos
	(19-5)	famoxadone
	(19-6)	fluazinam
30	(19-7)	copper oxychloride
	(19-9)	oxadixyl
	(19-10)	spiroxamine
	(19-11)	dithianon
	(19-12)	metrafenone
.35	(19-13)	fenamidone
	(19-14)	2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one

		(19-15)	) probenazole
		(19-16)	) isoprothiolane
		(19-17)	) kasugamycin
		(19-18)	) phthalide
5		(19-19)	) ferimzone
		(19-20)	tricyclazole
		(19-21)	N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide
			2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-
			yn-1-yloxy)acetamide
10		(20-1)	pencycuron
		(20-2)	thiophanate-methyl
		(20-3)	thiophanate-ethyl
		(21-1)	fenoxanil
(		(21-2)	diclocymet
15		(22-1)	5-chloro-N-[(1S)-2,2,2-trifluoro-1-methylethyl]-6-(2,4,6-trifluoro-
			phenyl)[1,2,4]triazolo[1,5-a]pyrimidine-7-amine
		(22-2)	5-chloro- <i>N</i> -[( <i>IR</i> )-1,2-dimethylpropyl]-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo-
			[1,5-a]pyrimidine-7-amine
		(22-3)	5-chloro-6-(2-chloro-6-fluorophenyl)-7-(4-methylpiperidin-1-yl)[1,2,4]triazolo-
20			[1,5-a]pyrimidine
		(22-4)	5-chloro-6-(2,4,6-trifluorophenyl)-7-(4-methylpiperidin-1-yl)[1,2,4]triazolo[1,5-a]-
			pyrimidine
		(23-1)	2-butoxy-6-iodo-3-propylbenzopyran-4-one
		(23-2)	2-ethoxy-6-iodo-3-propylbenzopyran-4-one
25		(23-3)	6-iodo-2-propoxy-3-propylbenzopyran-4-one
		(23-4)	2-but-2-ynyloxy-6-iodo-3-propylbenzopyran-4-one
		(23-5)	6-iodo-2-(1-methylbutoxy)-3-propylbenzopyran-4-one
		(23-6)	2-but-3-enyloxy-6-iodobenzopyran-4-one
		(23-7)	3-butyl-6-iodo-2-isopropoxybenzopyran-4-one.
30			
	4.	Active of	compound combinations according to Claim 1 comprising the carboxamide (1-1)
		N-(3',4'-	dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1H-pyrazole-
	4	4-carbox	camide (group 1) and at least one active compound selected from the following
		groups (2	2) to (23) according to Claim 1.
35			

5. Active compound combinations according to Claim 1 comprising the carboxamide (1-1)

Ì

N-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (23) according to Claim 3.

- Active compound combinations according to Claim 1 comprising the carboxamide (1-7)

  N-(4'-bromo-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide

  (group 1) and at least one active compound selected from the following groups (2) to (23) according to Claim 1.
- 7. Active compound combinations according to Claim 1 comprising the carboxamide (1-7) N-(4'-bromo-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (23) according to Claim 3.
- Active compound combinations according to Claim 1 comprising the carboxamide (1-8) 4-(difluoromethyl)-2-methyl-N-[4'-(trifluoromethyl)-1,1'-biphenyl-2-yl]-1,3-thiazole-5-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (23) according to Claim 1.
- 9. Active compound combinations according to Claim 1 comprising the carboxamide (1-8) 4-(difluoromethyl)-2-methyl-N-[4'-(trifluoromethyl)-1,1'-biphenyl-2-yl]-1,3-thiazole-. 5-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (23) according to Claim 3.
- 25 10. Active compound combinations according to Claim 1 comprising the carboxamide (1-9) N-(4'-chloro-3'-fluoro-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (23) according to Claim 1.
- Active compound combinations according to Claim 1 comprising the carboxamide (1-9)

  N-(4'-chloro-3'-fluoro-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole
  5-carboxamide (group 1) and at least one active compound selected from the following groups (2) to (23) according to Claim 3.
- 35 12. Use of active compound combinations according to Claim 1 for controlling unwanted phytopathogenic fungi.

5

- 13. Method for controlling unwanted phytopathogenic fungi, characterized in that active compound combinations according to Claim 1 are applied to the unwanted phytopathogenic fungi and/or their habitat.
- 14. Process for preparing fungicidal compositions, characterized in that active compound combinations according to Claim 1 are mixed with extenders and/or surfactants.